Index to Volume 59: Authors and Titles of Papers

Allozymic, Morphological, and Phenological Diversity in Cultivated *Luffa acutangula* (Cucurbitaceae) from China, Laos, and Nepal, and Allozyme Divergence between *L. acutangula* and *L. aegyptiaca* 154

Allozymic, Morphological, Phenological, Linguistic, Plant Use, and Nutritional Data on Wild and Cultivated Collections of *Luffa aegyptiaca* Mill. (Cucurbitaceae) from Nepal, Southern China, and Northern Laos 137

Amend, Anthony 312

Anderson, Gregory J. 112

Angelsen, Arild 245

Arnason, John Thor 29, 326

Asbjornsen, Heidi 245

Awad, Rosalie 326

Bạc hà (*Colocasia gigantea* [Blume] Hook. f.) in the Culinary History of Vietnamese-Americans 185

Baral, Jit B. 8

Belcher, Brian 245

Bennett, Bradley C. 275

Benzecry, Alice 290

Bhattarai, Nirmal K. 137, 154

Billaud, Yves 255

Binu, S. 295

Bosland, Paul W. 8

Bouby, Laurent 255

Bourbonnais-Spear, Natalie 326

Boxall, Peter C. 174

Bradley, Adam 221

Cal, Victor 29, 326

Camargo-Ricalde, Sara Lucía 366, 390

"Canastos": Ethnobotany and the Economic Importance 290

Capsicum frutescens L. in Southeast and East Asia, and Its Dispersal Routes into Japan 18

Case, Ryan J. 356

Clement, Charles R. 77

Commercial and Ethnic Use of Lichens in India 269

Consensus Ethnobotany of the Q'eqchi' Maya of Southern Belize 29

Cultural and Ecological Roles of *Mimosa* Species in the Tehuacán-Cuicatlán Valley, Mexico 390

Delang, Claudio O. 377

Dhillion, Shivcharn S. 366, 390

Distribution, Abundance, and Utilization of Wild Berries by the Gwich'in People in the Mackenzie River Delta Region 174

DiTommaso, Antonio 77

Divakar, Pradeep K. 269

Diversity of Methylxanthine Content in *Ilex cassine* L. and *Ilex vomitoria* Ait.: Assessing Sources of the North American Stimulant Cassina 275

Early *Zea* Cultivation in Honduras: Implications for the Iltis Hypothesis 101

Edwards, Adam L. 275

Evaluation of Three Varieties of *Opuntia ficus-indica* (L.) Miller as Hosts of the Cochineal Insect *Dactylopius coccus* Costa (Homoptera: Dactylopiidae) in a Semiarid Area of Northeastern Mexico 3

Factors in Maintaining Indigenous Knowledge among Ethnic Communities of Manus Island 356

Garza, Celina 3

Gavin, Michael C. 112

Gemedo-Dalle, T. 43

Genetic Diversity of Chile (*Capsicum annuum* var. *annuum* L.) Landraces from Northern New Mexico, Colorado, and Mexico 8

Hall, John B. 231

Hastorf, Christine A. 337

Heun, Manfred 366

Huber, Franz K. 287, 386

Identifying Prehistoric Collected Wild Plants: A Case Study from Late Bronze Age Settlements in the French Alps (Grésine, Bourget Lake, Savoie) 255

Impact of Replanting on Regeneration of the Medicinal Plant *Nardostachys grandiflora* DC. (Valerianaceae) 213

Implications of Local Knowledge of the Ecology of a Wild Super Sweetener for Its Domestication and Commercialization in West and Central Africa 231

Importance of Nearby Forest to Known and Potential Pollinators of Oil Palm (*Elaeis guineënsis* Jacq.; Areceaceae) in Southern Costa Rica 190

Influence of Market Orientation on Food Plant Diversity of Farms Located on Amazonian Dark Earth in the Region of Manaus, Amazonas, Brazil 77

Isselstein, Johannes 43

Johannessen, Sissel 337

Larsen, Helle Overgaard 213

Late Prehistoric Wood Use in an Andean Intermontane Valley 337

Lentz, David L. 166

Maass, Brigitte L. 43

Major, Julie 77

Maquin, Pedro 29, 326

Market for Medicinal Plants in Sapa and Hanoi, Vietnam 377

Marr, Kendrick L. 137, 154

Mayfield, Margaret M. 190

Michon, Genevieve 245

Economic Botany 59(4) pp. 417–418. 2005

© 2005 by The New York Botanical Garden Press, Bronx, NY 10458-5126 U.S.A.

Miller, James S. 221
Morales, Ramón 122
Murray, Gordon 174
Nawata, Eiji 18
Nayaka, Sanjeeva 269
Nayar, T. S. 295
Nguyen, My Lien T. 185
Nilsen, Linn Borgen 366
Oppong, Seth 231
Orozco, Olga L. 166
Pando-Moreno, Marisela 3
Pascual, Higinio 122
Patterns of Local Wood Use and Cutting of Philippine Mangrove Forests 66
Pauli, Guido F. 356
Pittosporum neelgherrense (Wight & Arnott [Pittosporaceae]) in Treatment of Snakebite 295
Plant Biodiversity and Ethnobotany of Borana Pastoralists in Southern Oromia, Ethiopia 43
Plant Use by the Q'eqchi' Maya of Belize in Ethnopsychiatry and Neurological Pathology 326
Poisonous Plants and Their Uses as Insecticides in Cajamarca, Peru 166
Poveda, Luis 29, 326
Rakotonandrasana, Stephan 221
Randrianaivo, Richard 221
Randrianasolo, Armand 221
Rendón-Aguilar, Beatriz 366
Role of Barley among the Shuhi in the Tibetan Cultural Area of the Eastern Himalayas 386
Rue, David 101
Ruiz Pérez, Manuel 245
Salick, Jan 312
Sampling a Diverse Flora for Novel Biochemicals: An Analysis of NCI Collections from Madagascar 221
Sanchez Vindas, Pablo 29, 326
Sinclair, Fergus L. 231
Socioeconomic Conditions Determining the Development, Persistence, and Decline of Forest Garden Systems 245
Soejarto, D. Doel 356
Tardío, Javier 122
Testing a Rapid Quantitative Ethnobiological Technique: First Steps Towards Developing a Critical Conservation Tool 112
Tibetan Land Use and Change Near Khawa Karpo, Eastern Himalayas 312
Tovar, Aldo 3
Traditional Knowledge and Genetic Diversity of *Opuntia pilifera* (Cactaceae) in the Tehuacán-Cuicatlán Valley, Mexico 366
Traverse, Alfred 101
Treyvaud Amiguet, Virginie 29
Upreti, Dalip K. 269
Votava, Eric J. 8
Waliszewski, Wojciech S. 231
Walnuts among the Shuhi in Shuiluo, Eastern Himalayas 287
Walters, Bradley B. 66
Webster, David 101
Weckerle, Caroline S. 287, 386
Weibang, Sun 287, 386
Wein, Ross W. 174
Whitehead, William T. 337
Wild Food Plants Traditionally Used in the Province of Madrid, Central Spain 122
Xia, Yong-Mei 137, 154
Yamamoto, Sota 18
Yongping, Yang 287, 312, 386

INDEX TO VOLUME 59: SUBJECTS

Acacia hockii De Willd. 49
Acacia senegal (L.) Willd. 48, 49
Acacia seyal Del. 48
Acacia tortilis 46
Acculturation 41, 327, 356, 362
Adiantum wilsonii 41, 332
AFLP 366, 375
Agriculture 3, 77, 78, 103, 113, 123, 143, 166, 167, 245, 247, 249, 251, 269, 287, 312, 313, 320, 321, 351, 367, 370, 375, 386, 393
Agro-biodiversity 77, 78, 85
Allozyme 137, 139–142, 146, 148, 149, 151, 154–158, 160, 163
Amazonia 77–81, 83, 84
Ambrosia arborescens (Asteraceae) 171
Ancient 19, 101–104, 107, 109, 123, 135, 255, 264, 265, 269, 287, 374, 386, 389
Andean ethnobotany 166
Andes 166, 313, 337, 351, 353, 355
Annona muricata L. 80, 85
Anthropogenic disturbance 66, 104
Anthropogenic forests 245–247
Anthropogenic landscape 338
Aphelandra scabra 30, 39, 40
Apurimacia boliviana (Fabaceae) 169, 170, 172
Archaeobotany 255, 337, 341
Arid zones 3
Asia 18, 124, 138, 139, 150, 151, 154, 155, 185, 187, 189, 190, 275, 287, 313
Belize 29, 34, 35, 326
Biodiversity 245, 247–249, 367, 393
Black drink 275, 277, 279, 281–283
Bonin Islands 18, 20, 21, 24, 26, 27
Boreal 174, 175, 181
Boscia mossambicensis 46, 47, 49, 57
Botanical pesticides 166, 168
Brazil 77, 276, 361
Brazil nuts 81, 246
Bruguiera spp. 70, 72, 74
Burning 101, 107–109, 138, 238, 288, 320, 330–333, 387
Caffeine 275, 276, 278, 280–283
Capsicum 8, 10, 13, 15, 16, 18, 79, 170, 171
Capsicum annuum var. *annuum* L. 8, 12, 16–18, 79
Capsicum chinense Jacq. 18
Capsicum frutescens L. 18, 20
Capsicum pubescens (Solanaceae) 170, 171
Capsicum pubescens Ruiz & Pav. 18
Carica papaya L. 79, 80
Cassina 275
Cenchrus ciliaris L. 54, 57
Ceriops tagal (Perrottet) Robinson 74
Cestrum peruvianum (Solanaceae) 170, 171
Charcoal 101, 107–109, 339, 347
China 21, 27, 137, 154, 246, 247, 287, 312, 319–322
Citrus aurantium L., Rutaceae 170, 171
Citrus spp. 79, 82, 84, 85, 325
Cluster analysis 14, 18, 19, 21
Cochineal 3
Colocasia gigantea (Blume) Hook 185–188
Colorado 8, 11, 12, 14, 16
Commiphora Africana L. 45, 58
Commiphora kua 46, 49, 50, 58
Consensus 29, 34, 35, 37, 41, 328, 329, 331, 334
Conservation 9, 29, 40, 43, 53, 54, 66, 74, 77, 112, 113, 119, 120, 188, 190, 241, 248, 249, 269, 273, 294, 313, 320, 377, 393
Costa Rica 107, 109, 190, 192, 290, 291, 293, 294
Cucumis dipsaceus (Cucurbitaceae) 59, 171
Cucurbitaceae 31, 58, 59, 80, 81, 137, 138, 145, 150, 154, 162, 170, 171, 381
Dactylopius coccus 3
Dao 377–379, 384
Dene 174
Digitaria 54, 59
Distribution 16, 19, 20, 24, 35, 38, 40, 44, 48, 52, 67, 71–73, 107, 108, 174, 221, 228, 231–234, 240, 256, 257, 266, 280, 283, 287, 334, 347, 348, 353, 354, 386
Domestication 16, 19, 101, 109, 137–139, 149, 151, 154, 164, 231, 239, 351
Early farming 101
Equisetum giganteum (Equisetaceae) 171
Erythrina melanacantha 50, 52, 60
Ethiopia 43, 138, 386
Ethnobotany 29, 34, 43, 44, 54, 113, 122, 137, 166, 222, 290, 295, 326, 356, 357
Ethnopsychiatry 326
Eucalyptus globulus (Myrtaceae) 169–171, 338
Euphorbia 31, 49, 51, 60, 127, 134, 169, 170, 172, 221, 259
Euphorbia huanchahana (Euphorbiaceae) 169
Farming 8, 101–103, 106, 109, 187, 246, 248, 250, 294, 312, 351, 379
Ficus carica 133
Foeniculum vulgare (Apiaceae) 125, 131, 133, 170, 171
Food 4, 10, 32, 33, 43, 46–50, 52–54, 77–80, 83–85, 88, 90, 91, 93, 94, 97, 98, 125–131, 189, 231, 234, 236, 239, 241, 257–264, 266, 269, 287, 289, 318, 356, 358, 366, 367, 379, 386–390
Forage 43, 45–48, 51–56, 74, 115, 190, 192, 194
Forest garden systems 245
Forest management 245, 250, 251, 312
Forest use value 112, 116, 118, 119
France 4, 132, 133, 187, 255–258, 391
Fritillaria cirrhosa 321
Genetic diversity 8, 139, 146, 154, 155, 366, 367, 374
Genetic erosion 77
Genetic identity 142, 148, 158, 160, 163
Genetic marker 150, 374
Genetic resources 8, 13, 358
Genetic similarity 8, 11, 14–16, 367
Genetic variation 9, 15, 16, 241
Geographic information systems 312
Ghana 231–234, 237, 239–241
Grana 3, 4, 6
Grewia 46, 48, 50, 60, 61
Gutenbergia boranensis 49, 50, 61
Gwich'in 174
Hanoi 377, 379–384
Himalayas 269–271, 287, 312, 386
Hmong 141, 157, 377–379, 384
Honduras 29, 101, 102, 107–109
Hordeum vulgare L. 263, 325, 386
Human ecology 66
Ilex cassine 275
Ilex vomitoria 275
India 19, 72–74, 138, 139, 149, 151, 154, 155, 162, 269, 295, 386
Indigenous 8, 29, 34, 37, 41, 43,

Economic Botany 59(4) pp. 419–420. 2005
© 2005 by The New York Botanical Garden Press, Bronx, NY 10458-5126 U.S.A.

44, 51–54, 77, 85, 93, 99, 100, 138, 166, 167, 172, 187, 222, 248, 251, 269, 275–277, 282, 283, 295, 312, 326, 327, 329, 338, 350, 356, 357, 360–362, 366, 367, 369, 371
Indigenous knowledge 231, 356
Indonesia 18–21, 24, 26, 27, 78, 191, 246–250
Ipomoea batatas (L.) Lam.) 21, 80
Isozyme 18–21, 24–27, 146, 158
Isozyme analysis 18, 138, 19
Japan/Japanese 4, 18, 138, 187–189, 320, 357, 391
Juglans regia L. 287, 325, 387
Juniperus procera Endl. 54, 61, 392
Kenya 44, 78
Land use 44, 45, 113, 114, 174, 250, 251, 312
Landrace 8, 108, 155, 367
Lannea rivae 46, 47, 50, 62
Lao Cai 377
Laos 24, 137, 154
Late Bronze Age 255
Leucaena leucocephala 70
Lichen 269, 320
Luffa 137, 154
Luffa acutangula 154
Luffa aegyptiaca 154
Lupinus mutabilis (Fabaceae) 170, 171
Madagascar 221
Madrid 122
Maize 77–79, 82, 83, 101–103, 107–110, 169, 316–318, 325, 340, 351, 370, 378, 379
Mangifera indica L. 79, 80
Mangrove 66
Manihot esculenta Crantz 77, 81
Manioc 77, 79, 81, 83
Manus 356
Market orientation 77–79, 83–85
Medicinal 29, 30, 34–41, 45, 48, 49, 52–54, 56, 79, 113, 114, 116, 122, 132, 135, 138, 145, 155, 257, 263, 264, 271, 287, 290, 295, 314, 318–321, 326, 327, 332–334, 356–358, 360–362, 377, 389, 392
Mediterranean 122, 123, 132
Mental health 326, 329
Methylxanthine alkaloids 275, 276, 278, 281, 283
Mexico 3, 8, 41, 78, 102, 103, 109, 113, 326, 329, 334, 366, 390–393
Mimosa 332, 390–393
Minthostachys mollis (Lamiaceae) 169, 170
Monoecious 150, 154, 155, 158–160, 162, 165
Morphology 137, 139, 154, 155, 290
Morphospecies richness 194
Multi-purpose species 43, 46, 54, 391
Natural coloring 3, 4
NCI Program 222–227
Nepal 137, 154, 270
Nerium oleander (Apocynaceae) 170, 172
New Mexico 8
New Zealand 134, 194
Non-timber forest products (NTFPs) 66, 174, 175, 176, 231, 232, 247, 312, 318, 320, 322, 377, 379
Northwest Yunnan 312, 313
Nutritional content 137, 139, 149, 150
Opuntia 366, 372
Opuntia ficus-indica [L.] Miller 3, 372
Opuntia pilifera 366
Otholobium glandulosum (Fabaceae) 169–171
Palwa 70, 71
Palynology 101
Papua New Guinea 356–359
Participatory rural appraisal 312, 314
Peru/Peruvian 4, 83, 84, 112, 113, 115, 120, 166, 337, 339, 340, 353, 354, 361
Phaseolus sp. 77, 81
Phenology 137, 149, 154, 160, 234, 236
Philippines 18, 20, 21, 24, 66, 67, 138
Phyllactis rigida (Valerianaceae) 170, 171
Popoloca 366, 367, 369–372, 374
(Pre)historic wood use 337, 338
Prickly pear 3, 4
Prunus armeniaca L. 82, 85
Prunus avium L./*mahaleb* L. 130, 262
Prunus cerasus 124, 130
Prunus dulcis 124, 130
Prunus spinosa 130, 133, 261
Prunus spp. 82, 85
Q'eqchi' Maya 29, 326
Quantitative ethnobiology 112, 328, 360
Quechua 113, 166, 167, 170
RAPD 8, 10, 11, 14–16
Rapid valuation 112, 115
Rhizophora 67–74
Rhizophora apiculata Blume 70
Rhizophora mucronata Lamarck 67
Rhizophora stylosa Griffith 67
Robinia pseudoacacia 124, 128, 134
Rubiaceae 221, 223–225, 382
Ryukyu Islands 18, 20, 21, 24, 26, 27
Salix chilensis (Salicaceae) 170, 172, 342
Sapa 377
Schinus molle (Anacardiaceae) 170, 171, 339, 342
Schkuhria pinnata var. *pinnata* (Asteraceae) 170, 171
Selective cutting 66
Sicyos montanus (Cucurbitaceae) 170, 171
Solanaceae 8, 62, 64, 82, 167, 169–171, 325, 383
Southeast Asia 233, 247
Spain 4, 19, 122, 386
Spartium junceum (Fabaceae) 170, 171
Species richness 29, 40, 43, 77, 79, 83–85, 113, 116
Tehuacán-Cuicatlán 366, 390, 391–393
Teosinte 101, 107–109
Terra Preta de l'Indio 77
Thailand 18, 21, 24, 26, 27, 139, 246
Thaumatococcus daniellii 231, 233–239, 241
Tibet 145, 287–289, 312, 386, 387, 389, 390
Titan 356, 358–360
Traditional agriculture 166
Traditional classifications 366, 367, 374
Traditional medicine 29, 35, 53, 295, 326, 356, 362, 391
Trimonoecious 154, 158–162, 165
Usiai 356, 358–360, 362
Vaccinium vitisidaea 174, 176, 177
Verbena littoralis (Verbenaceae) 170, 171
Verbena officinalis L. 259
Verticality 312, 313, 321
Vietnam/Vietnamese 24, 185–189, 377
Vigna friesiorum 48, 50, 54, 65
Vigna friesiorum Harms 48, 50, 65
Vitis vinifera L. 85, 325
Vitis vinifera L. ssp. *sylvestris* (C.C. Gmelin) Hegi 262
Wild berries 174
Wild edible plants 48, 50, 53, 56, 255
Wild food plants 52, 53, 122
Wood identification 337, 338
Zea 101, 325
Zea mays L. 77, 82, 325
Zea mays ssp. *parviglumis* 101